

**Amendment to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

- sub  
C1
- B1
1. (original) A radiotelephone handset, including a display;  
a keypad;  
a cover moveable between a closed position and an open position in which  
the keypad is accessible to the user; and  
means for lighting the display and keypad to an extent limited by the position  
of the cover.
  2. (original) A radiotelephone handset as in Claim 1, wherein, when the cover  
is in the closed position, the display and all the keys of the keypad are obscured by  
the cover, when the cover is in the closed position, the lighting means is not operable  
to provide any lighting.
  3. (original) A radiotelephone handset as in Claim 1, wherein, when the cover  
is in the closed position, all the keys of the keypad, but not the display, are obscured  
by the cover, when the cover is in the closed position, the lighting means can provide  
lighting to only the display.

4. (original) A radiotelephone handset as in Claim 1, wherein, in when the cover is in a closed position, some, but not all of the keys and not the display, are obscured by the cover, when the cover is in the closed position, the lighting means can light only the display and those keys of the keypad not obscured by the cover.

5. (previously presented) A radiotelephone handset as in claim 1, wherein the cover comprises a slide.

B1  
6. (previously presented) A radiotelephone handset as in claim 1, wherein the cover comprises a flip.

7. (previously presented) A method of controlling a radiotelephone handset including a user-moveable cover and user input interface lighting, wherein the user input interface lighting is activated only for those portions of the user input interface which are not hidden by the cover as determined by a detected estimate of the position of the cover.

8 - 9. (canceled)

10. (new) A radiotelephone handset comprising:  
a display;  
a keypad;

a cover movable between a closed position and an open position in which the keypad is accessible to the user; and

lighting means for lighting the display and keypad in dependence upon the position of the cover wherein, when a portion of the keypad is hidden by the cover, the lighting means is operable only for those portions of the keypad that are not hidden by the cover as determined by an estimate of the position of the cover.

B1 11. (new) A radiotelephone handset comprising:

a display;

a keypad;

a cover movable between a closed position and an open position, in which a keypad is accessible to the user; and

lighting means for lighting and displaying the keypad, in dependence upon the position of the cover, wherein when the keypad is at a first position, the lighting means is operable to illuminate a first portion of the keyboard and the display while a second portion of the keypad remains without illumination, and, when the cover is in a second position, the lighting means is operable, to illuminate the first and second portions of the keypad and the display.

12. (new) A radiotelephone handset as in claim 11, wherein the first position is an intermediate position between the closed and fully open positions.

13. (new) A radiotelephone handset as in claim 11, wherein the second position of the cover is a fully open position.

B1  
14. (new) A radiotelephone handset as in claim 11, wherein the first portion of the keypad is exposed when the cover is in the first position, while the second portion of the keypad is covered when the cover is in the first position.

---